

# STANDARDS FOR HOUSEHOLD WASTE FACILITIES

## A7 APPENDIX





## Appendix 7 Standards for Household Waste Facilities

Type of Dwelling	No. of Bedrooms	Minimum internal storage space required	Minimum external storage and space required	Access for refuse collection	Central recycling facility
Flatted	1	0.25m <sup>3</sup>	1.25 x240 litre wheeled bin for general waste, 1x240 litre wheeled bin for recycling and 1x35 litre food waste bin	<p>External bin storage should be no more than 10 metres from the nearest public road from where the collection will take place.</p> <p>Turning diameter for refuse vehicles is 21.5m. If this cannot be achieved throughout the development, a centralised, vehicle-accessible, external storage point must be provided.</p>	Mini-recycling point required for developments of 30 h or more.
	2	0.3m <sup>3</sup>			
	3	0.35m <sup>3</sup>			
House	2	0.3m <sup>3</sup>	1.25 x240 litre wheeled bin for general waste, 1x240 litre wheeled bin for recycling and 1x35 litre food waste bin	<p>External bin storage should be no more than 10 metres from the nearest public road from where the collection will take place.</p> <p>Turning diameter for refuse vehicles is 21.5m. If this cannot be achieved throughout the development, a centralised, vehicle-accessible, external storage point must be provided.</p>	Required for developments of 50 units or more, if there is no existing facility that can already accommodate this.
	3 or more	0.35m <sup>3</sup>			

